

V&B EUROPE GMBH



VICTORY LS-42T LOG SPLITTER

With optional E-Starter




+ With 15 hp petrol engine



www.victory-tractor.com

LS-42T log splitter with petrol engine

Heavy duty log splitter with 15 hp Briggs&Stratton engine and 1050 mm splitting length for permanent use for professional and fast wood processing.



with
petrol engine

24 months
Warranty

12 months for commercial customers



€ from 1.998



The Victory LS-42T log splitters comply with all safety regulations and are CE tested following the 2006/42/EC machine directive

Trailer mounted log splitter for easy operation in any terrains

Log splitter with Briggs&Stratton engine and genuine 32t split force.

- 1** Hydraulic cylinder can be lowered for transport to dramatically reduce trailer length.
- 2** Combined hydraulic tank and massive base frame for advanced performance.
- 3** 105 cm real splitting length for any kind of wood.
- 4** Hydraulic log lifter to lift and position heavy logs underneath the splitting knife.
- 5** Winch to lower the vertical log splitter into horizontal position.
- 6** Strong pneumatic springs to easily bring up the log splitter into vertical position.
- 7** Bucher hydraulic pump for high splitting speed.



Technical Specifications VICTORY LS-42T LOG SPLITTER

| DATA | LS-42T |
|--|---|
| Dimension vertical operation (HxWxD) | 290 x 118 x 235 cm |
| Dimension transport mode (LxWxH) | 235 x 118 x 150 cm |
| Tire size / diameter | 4.8" x 8" / 40 cm |
| Total weight | 405 kg (dry weight) |
| Engine | 4 stroke, 420 ccm, 15 PS, unleaded E10 |
| Engine oil (not included) | 1,1 L (10W30 / 10W40) |
| Starter | pull starter / optional E-starter |
| Gas tank | max. 6,5 L |
| Fuel consumption | max. 3,3L/h at full throttle |
| Hydraulic pressure | 250 bar |
| Hydraulic cylinder diameter | 130 mm inside 140 mm outside |
| Cylinder rod diameter | 60 mm |
| Hydraulic oil volume (not included) | approx. 40 L HLP 32/46 (tank 26 L, cylinder 13 L) |
| Max. pressure / safety valve | 3500 psi / 3000 psi |
| Max. split force | approx. 32 t |
| Calculated force (according to formular) | 33,16 t / 26,10 t down / up |
| Working mode | vertical |
| Length of split knife | 215 mm; 3° tilted |
| Downward knife speed | 12 cm/sec |
| Upward knife speed | 14 cm/sec |
| Splitting speed | approx. 10 sec |
| Reset speed (automatic) | approx. 8 sec |
| Max. log length | 1050 mm |
| Split length | 1050 mm |
| Max. log width | 500 mm |
| Trailer towing speed | 25km/h (not for public roads) |
| Painting | powder coating (green / yellow) |
| Shipping box (LxWxH) | 230 x 118 x 120 cm |



ONLINE-SHOP FOR TRACTOR ATTATCHMENTS

Tiller, Stone Burrier Tillers, Cultivators, Wood Shredders, Wood Chippers
Stump Grinder, Trenchers, Shaft Grinder, Wood Splitter and Log Saws



Contact

Phone: + 49 (0) 4188 4444 773

E-mail: info@victory-tractor.com

V&B Europe GmbH

Am Flidderberg 74

D-21256 Handeloh - Germany